

# BIBLIOGRAFIA IMPIANTI 3i

Davies JE, Ddziedzic DM. Bone growth in metallic bone healing chambers. Faculty of Dentistry and Centre for Biomaterials at The University of Toronto (Toronto, Ontario, Canada). Presented at the V World Congress of Biomaterials, 29 May-June 1996.

Klokkevold P, Nishimura R, Adachi M, Caputo A. Osseointegration enhanced by chemical etching of the titanium surface: a torque removal study in the rabbit. *Clin Oral Implants Res* 1997; 8:442-47.

Davies JE. Mechanism of endosseous integration. *Int J Prosthodont* 1998; 11(5):391-401.

Baker D, London R, O'Neal R. Rate of pull-out strength gain in dual-etched titanium implants: a comparative study in rabbits. *Int J Oral Maxillofac Implants* 1999; 14(5):722-28.

Park JY, Jun Y, Davies JE. Red blood cell and platelet interactions with titanium implants surfaces. *Clin Oral Implants Res* 2000; 11(6):530-39.

Cordioli G, Majzoub Z, Piattelli A, Scarano A. Removal torque and histomorphometric investigation of 4 different titanium surfaces: an experimental study in the rabbit tibia. *Int J Oral Maxillofac Implants* 2000; 15(5):668-74.

Klokkevold P, Johnson P, Dadgostari S, Caputo A, Davies JE, Nishimura R. Early endosseous integration enhanced by dual acid etching of titanium: a torque removal study in the rabbit. *Clin Oral Implants Res* 2001; 12(4):350-57.

Abrahamson I, Zitzmann N, Berglundh T, Lindhe J, Wennenberg A. Bone and soft tissue integration to titanium implants with different surface topography: an experimental study in the dog. *Int J Oral Maxillofac Implants* 2001; 16(3):323-32.

London R, Baker D, O'Neal R. Histologic comparison of a thermal dual-etched implant surface to machined, TPS, and HA surfaces: bone contact in vivo in rabbits. *Int J Oral Maxillofac Implants* 2002; 17(3):369-76.

Abrahamson I, Zitzmann NU, Berglundh T, Linder E, Wennenberg A, Lindhe J. The mucosal attachment to titanium implants with different surface characteristics: an experimental study in dogs. *J Clin Periodontol* 2002; 29(5):448-55.

Weis AA, Trisi P, Papadimitriou S, Tsirlis AT, Parisis NA, Desiris AK, Lazzara RJ. Osseointegration of Osseotite® and machined titanium implants in autogenous bone graft. A histologic and histomorphometric study in dogs. *Clin Oral Implants Res* 2004; 15(1):54-61.

Vernino AR, Kohles SS, Holt RA Jr, Lee HM, Caudill RF, Kenealy JN. Dual-etched implants loaded after 1- and 2-month healing periods: a histologic comparison in baboons. *Int J Periodontics Restorative Dent* 2002; 22(4):399-407.

Nasatzky E, Gultchin J, Schwartz Z. The role of surface roughness in promoting osteointegration. *Refuat Hapeh Vehashinayim* 2003; 20(3):8-19,98. Review.

Weng D, Hoffmeyer M, Hurzeler MB, Richter EJ. Osseotite® vs machined surface in poor bone quality. A study in dogs. *Clin Oral Implants Res* 2003; 14(6):703-8.

O'Sullivan D, Sennerby L, Meredith N. Measurements comparing the initial stability of five designs of dental implants: a human cadaver study. *Clin Implant Dent Relat Res* 2000; 2(2):85-92.

Salido M, Vilches JI, Gutiérrez JL, Vilches J. Actin cytoskeletal organization in human osteoblasts grown on different dental titanium implant surfaces. *Histol Histopathol*. 2007 ;22(12):1355-64.

Schicho K, Kastner J, Klingsberger R, Seemann R, Enislidis G, Undt G, Wanschitz F, Figl M, Wagner A, Ewers R. Surface area analysis of dental implants using micro-computed tomography. *Clin Oral Implants Res* 2007; 18(4):459-64.

Welander M, Abrahamsson I, Linder E, Liljenberg B, Berglundh T. Soft tissue healing at titanium implants coated with type I collagen. An experimental study in dogs. *J Clin Periodontol* 2007; 34(5):452-8.

Weis AA, Papadimitriou S, Trisi P, Tsirlis AT, Parisis NA, Kenealy JN. Osseointegration of Osseotite® and machined-surfaced titanium implants in membrane-covered critical-sized defects: a histologic and histometric study in dogs. *Clin Oral Implants Res* 2007; 18(2):153-60.

Polyzois I, Renvert S, Bosshardt DD, Lang NP, Claffey N. Effect of Bio-Oss on osseointegration of dental implants surrounded by circumferential bone defects of different dimensions: an experimental study in the dog. *Clin Oral Implants Res* 2007; 18(3):304-10.

Qahash M, Hardwick WR, Rohrer MD, Wozney JM, Wikesjö UM. Surface-etching enhances titanium implant osseointegration in newly formed (rhBMP-2-induced) and native bone. *Int J Oral Maxillofac Implants* 2007;22:472-7.

Weis AA, Papadimitriou S, Trisi P, Tsirlis AT, Parisis NA, Kenealy JN. Osseointegration of Osseotite and machined-surfaced titanium implants in membrane-covered critical-sized defects: A histologic and histometric study in dogs. *Clin Oral Implants Res* 2007;18:153-60.

Sul YT, Byon E, Wennerberg A. Surface characteristics of electrochemically oxidized implants and acid-etched implants: Surface chemistry, morphology, pore configurations, oxide thickness, crystal structure, and roughness. *Int J Oral Maxillofac Implants* 2008;23:631-40.

De Sanctis M, Vignoletti F, Discepoli N, Zuchelli G, Sanz M. Early healing of implants placed into fresh extraction sockets: an experimental study in the beagle dog. *De novo bone formation*. *J Clin Periodontol*. 2009 Mar;36(3):265-77.

Vignoletti F, De Sanctis M, Berglundh T, Abrahamsson I, Sanz M. Early healing of implants placed into fresh extraction sockets: an experimental study in the beagle dog. II: ridge alterations. *J Clin Periodontol*. 2009 36;705-711.

De Sanctis M, Vignoletti F, Discepoli N, Muñoz F, Sanz M. Immediate implants at fresh extraction sockets: an experimental study in the beagle dog comparing four different implant systems. *Soft tissue findings*. *J Clin Periodontol* 2010; 37: 769-776.

Artzi Z, Nemcovsky CE, Tal H, Weinberg E, Weinreb M, Prasad H, Rohrer MD, Kozlovsky A. Simultaneous versus two-stage implant placement and guided bone regeneration in the canine: histomorphometry at 8 and 16 months. *J Clin Periodontol*. 2010 Nov;37(11):1029-38. Epub 2010 Sep 16.

Sullivan D, Sherwood R, Mai. Preliminary results of a multicenter study evaluating a chemically enhanced surface for machined commercially pure titanium implants. *J Prosthet Dent* 1997; 78(4):379-86.

Lazzara R, Porter S, Testori T, Galante J, Zetterqvist L, Vincenzi G, Anitua E, Rossi R, Sullivan D, Feldman S. A prospective multicenter study evaluating loading of Osseotite® implants two months after placement: one-year results. *J Esthet Dent* 1998; 10(6):280-89.

Grunder U, Boitel N, Imoberdorf M, Meyenberg K, Andreoni C, Meier T. Evaluating the clinical performance of the Osseotite® implant: defining prosthetic predictability. *Compend Contin Educ Dent* 1999; 20(7):628-640.

Lazzara R, Testori T, Porter S, Weinstein RL. A human histologic analysis of Osseotite® and machined surfaces using implants with 2 opposing surfaces. *Int J Periodontics and Restorative Dent* 1999; 19(2):117-19.

Testori T, Wiseman L, Woolfe S, Porter S, Kenealy J. A prospective multicenter clinical study of Osseotite® implant: a four-year interim report. *Int J Oral and Maxillofac Implants* 2001; 16(2):193-200.

Sullivan D, Sherwood R, Porter S. Long-term performance of Osseotite® implants: a 6-year clinical follow-up. *Compend Contin Educ Dent* 2001; 22(4):326-34.

Martinez H, Davarpanah M, Missika P, Celletti R, Lazzara R. Optimal implant stabilization in low density bone. *Clin Oral Implants Res* 2001; 12(5):423-32.

Davarpanah M, Martinez H, Celletti R, Alcoforado G, Tecucianu JF, Etienne D. Osseotite® implant: 3-year prospective multicenter evaluation. *Clin Implant Dent Relat Res* 2001; 3(2):111-8.

Khang W, Feldman S, Hawley CE, Gunsolley J. A multi-center study comparing dual acid etched and machined-surfaced implants in various bone qualities. *J Periodontol* 2001; 72(10):1384-90.

Gaucher H, Bentley K, Roy S, Head T, Blomfield J, Blondeau F, Nicholson L, Chehade A, Tardif N, Emery R. A multi-center study of Osseotite® implants supporting mandibular restorations: a 3-year report. *J Can Dent Assoc* 2001; 67(9):528-33.

Mazor Z, Cohen DK. Preliminary 3-dimensional surface texture measurement and early loading results with a microtextured implant surface. *Int J Oral Maxillofac Implants* 2003; 18(5):729-38.

Garlini G, Bianchi C, Chierichetti V, Sigurta D, Maiorana C, Santoro F. Retrospective clinical study of Osseotite® implants: zero-to 5-year result. *Int J Oral Maxillofac Implants* 2003; 18(4):589-93.

Testori T, Del Fabbro M, Szmukler-Moncler S, Francetti L, Weinstein RL. Immediate occlusal loading of Osseotite® implants in the completely edentulous mandible. *Int J Oral Maxillofac Implants* 2003; 18(4):544-51.

Schropp L, Kostopoulos L, Wenzel A. Bone Healing Following immediate versus delayed placement of titanium implants into extraction sockets: a prospective clinical study. *Int J Oral Maxillofac Implants* 2003; 18(2):189-99.

Stach RM, Kohles SS. A meta-analysis examining the clinical survivability of machined-surface Osseotite® implants in poor-quality bone. *Implant Dent* 2003; 12(1):87-96.

Degidi M, Petrone G, Iezzi G, Piattelli A. Bone contact around acid-etched implants: a historical and histomorphometrical evaluation of two human-retrieved implants. *J Oral Implantol* 2003; 29(1):13-8.

Trisi P, Lazzara R, Rao W, Rebaudi A. Bone-implant contact and bone quality: evaluation of expected and actual bone contact on machined and Osseotite® implant surfaces. *Int J Periodontics Restorative Dent* 2002; 22(6):535-45.

Davarpanah M, Martinez H, Etienne D, Zabalegui I, Mattout P, Chiche F, Michel JF. A prospective multicenter evaluation of 1,583 3i implants: 1-to 5-year. *Int J Oral Maxillofac Implants* 2002; 17(6):820-8.

Bain CA, Weng D, Meltzer A, Kohles SS, Stach RM. A meta-analysis evaluating the risk for implant failure in patients who smoke. *Compend Contin Educ Dent* 2002; 23(8):695-9,702,704,708.

Testori T, Szmukler-Moncler S, Francetti L, Del Fabbro M, Trisi P, Weinstein RL. Healing of Osseotite® implants under submerged and immediate loading conditions in a single patient: a case report and interface analysis after months. *Int J Periodontics Restorative Dent* 2002; 22(4):345-53.

Calvo Guirado JL, Saez Yuguero R, Ferrer Perz V, Moreno Pelluz A. Immediate anterior implant placement and early loading by provisional acrylic crowns: a prospective study after a one-year follow-up period. *J Ir Dent Assoc* 2002; 48(2):43-9.

Ibanez JC, Jalbout ZN. Immediate loading of Osseotite® implants: two-year results. *Implant Dent* 2002;11(2):128-36.

Testori T, Del Fabbro M, Feldman S, Vincenzi G, Sullivan D, Rossi R Jr, Anitua E, Bianchi F, Francetti L, Weinstein RL. A multicenter prospective evaluation of 2-months loaded Osseotite® implants placed in the posterior jaws: 3-year follow-up results. *Clin Oral Implants Res* 2002; 13(2):154-61.

Testori T, Szmukler-Moncler S, Francetti L, Del Fabbro M, Scarano A, Piattelli A, Weinstein RL. Immediate loading of Osseotite® implants: a case report and histologic analysis after 4 months of occlusal loading. *Int J Periodontics Restorative Dent* 2001; 21(5):451-9.

Weis AA, Tsirlis AT, Parisi NA. Effect of autogenous harvest site location on the outcome of ridge augmentation for implant dehiscences. *Int J Periodontics Restorative Dent* 2004; 24(2):155-63.

Berengo M, Sivolella S, Majzoub Z, Cordioli G. Endoscopic evaluation of the bone-added osteotome sinus floor elevation procedure. *Int J Oral Maxillofac Surg* 2004; 33(2):189-94.

Testori T, Meltzer A, Fabbro MD, Zuffetti F, Troiano M, Francetti L, Weinstein RL. Immediate occlusal loading of Osseotite® implants in the lower edentulous jaw. A multicentre prospective study. *Clin Oral Impl Res* 2004; 15:278-284.

Drago C, Lazzara R. Immediate provisional restoration of Osseotite® implants: a clinical report of 18-month results. *Int J Oral Maxillofac Implants* 2004; 19(4): 534-41.

Testori, Del Fabbro M, Galli F, Francetti L, Taschieri S, Weinstein R. Immediate occlusal loading the same day or the after implant placement: comparison of 2 different time frames in total edentulous lower jaws. *J Oral Implantol* 2004; 30(5):307-13,

Feldman S, Boitel N, Weng D, Kohles SS, Stach RM. Five-year survival distribution of short-length (10 mm or less) machined-surfaced and Osseotite® implants. *Clin Implant Dent Relat Res* 2004; 6(1):16-23.

Davarpanah M, Caraman M, Szmukler-Moncler S, Jakubowicz-Kohan B, Alcoforado G. Preliminary data of a prospective clinical study on the Osseotite® NT implant: 18-month follow-up. *Int J Oral Maxillofac Implants*. 2005; 20(3):448-54.

Schropp L, Kostopoulos L, Wenzel A, Isidor F. Clinical and radiographic performance of delayed-immediate single tooth implant placement associated with peri-implant bone defects. A 2-year prospective, controlled, randomized follow-up report. *J Clin Periodontol* 2005; 32(5):480-7.

Guirado JL, Yuguero MR, Camiom del Valle MJ, Zamora GP. A maxillary ridge-splitting technique followed by immediate placement of implants: a case report. *Implant Dent* 2005; 14(1):14-20.

Sullivan D, Vincenzi G, Feldman S. Early loading of Osseotite® implants 2 months after placement in the maxilla and mandible: a 5-year report. *Int J Oral Maxillofac Implants* 2005; 20(6):905-12.

Capelli M, Zuffetti F, Del Fabbro M, Testori T. Immediate rehabilitation of the completely edentulous jaw with fixed prostheses supported by either upright or tilted implants: a multicenter clinical study. *Int J Oral Maxillofac Implants*. 2007; 22(4):639-44.

Palmer R. Success of Osseotite® dental implants loaded at 2 months compares favorably with conventional protocols. *J Evid Based Dent Pract* 2006; 6(4):265-6.

Meltzer A. Osseotite Implants for optimal stability and aesthetics. *Implantology*. 2003: 5-12.

Baumgarten H, Cocchetto R, Testori T, Meltzer A, Porter S. new implant design for crestal bone preservation: initial observations and case report. *Pract Proced Aesthet Dent*. 2005;17:735-40.

Weis AA, Dabarakis NN, Parisi NA, Tsirlis AT, Karanikola TG, Printza DV. Bone regeneration around implants using spherical and granular forms of bioactive glass particles. *Implant Dent* 2006; 15(4):386-94.

Drago CJ, Del Castillo RA. A retrospective analysis of Osseotite® NT implants in clinical practice: 1-year follow-up. *Int J Periodontics Restorative Dent* 2006; 26(4):337-45.



Cannizzaro G, Leone M. Valutazione delle complicanze e della stabilità secondaria di 688 impianti con superficie NanoTite posizionati in siti atrofici e situazioni cliniche precarie. Valutazione prospettica. Quintessenza Internazionale 2009; Nov-Dec:9-28.

Barone A, Ricci M, Calvo- Guirado JL, Covani U. Bone remodelling after regenerative procedures around implants placed in fresh extraction sockets: an experimental study in the Beagle dogs. Clin. Oral Impl. Res. 2010 (in fase di pubblicazione).

Barone A, Orlando B, Tonelli P, Covani U. Survival Rate for Implants Placed in the Posterior Maxilla With and Without Sinus Augmentation: A Comparative Cohort Study. J Periodontol. 2011 Feb;82(2):219-26. Epub 2010 Sep 10.

Mazor Z, Horowitz RA, Del Corso M, Prasad HS, Rohrer MD, Dohan Ehrenfest DM. Sinus floor augmentation with simultaneous implant placement using Choukroun's platelet-rich fibrin as the sole grafting material: a radiologic and histologic study at 6 months. J Periodontol. 2009 Dec;80(12):2056-64.

Stacchi C, Vercellotti T, Torelli L, Furlan F, Di Lenarda R. Changes in Implant Stability Using Different Site Preparation Techniques: Twist Drills versus Piezosurgery. A Single-Blinded, Randomized, Controlled Clinical Trial. Clin Implant Dent Relat Res. 2011 Apr 19. doi: 10.1111/j.1708-8208.2011.00341.x. [Epub ahead of print]

Östman, P.-O., Wennerberg, A., Ekestubbe, A. and Albrektsson, T. Immediate Occlusal Loading of NanoTite™ Tapered Implants: A Prospective 1-Year Clinical and Radiographic Study. Clinical Implant Dentistry and Related Research. 17 JAN 2012[Epub ahead of print]

Al-Hamdan K, Al-Moaber SH, Junker R, Jansen JA. Effect of implant surface properties on peri-implant bone healing: a histological and histomorphometric study in dogs. Clin Oral Impl Res. 2011; 22:399-405.

Artzi Z, Nemcovsky CE, Tal H, Weinberg E, Weinreb M, Prasad H, Rohrer MD, Kozlovsky A. Clinical and histomorphometric observations around dual acid-etched and calcium phosphate nanometer deposited-surface implants. Int J Oral Maxillofac Implants. 2011 Jul-Aug;26(4):893-901.

Östman PO, Wennerberg A, Ekestubbe A, Albrektsson T. Immediate occlusal loading of NanoTite Tapered implants: A prospective 2-year clinical and 1-year radiographic study Clin Implants Dentistry Relat Res [2011 in press.]

Tarnow DP, Chu SJ. Human histologic verification of osseointegration of an immediate implant placed into a fresh extraction socket with excessive gap distance without primary flap closure, graft, or membrane: A case report. Int J Periodontics Restorative Dent. 2011 Sep-Oct;31(5):515-21.

Felice P, Pellegrino G, Checchi L, Pistilli R, Esposito M. Vertical augmentation with interpositional blocks of anorganic bovine bone vs. 7-mm-long implants in posterior mandibles: 1-year results of a randomized clinical trial. Clin Oral Implants Res. 2010 Dec;21(12):1394-403

Cannizzaro G, Felice P, Leone M, Ferri V, Viola P, Esposito M. Immediate versus early loading of 6.5 mm-long flapless-placed single implants: a 4-year after loading report of a split-mouth randomised controlled trial. Eur J Oral Implantol. 2012 Summer;5(2):111-21.

Telleman G, Raghoobar GM, Vissink A, Meijer HJ. Impact of Platform Switching on Peri-Implant Bone Remodeling around Short Implants in the Posterior Region, 1-Year Results from a Split-Mouth Clinical Trial. Clin Implant Dent Relat Res. 2012 May 11. doi: 10.1111/j.1708-8208.2012.00461.x. [Epub ahead of print]

Telleman G, Raghoobar GM, Vissink A, Meijer HJ. Impact of platform switching on inter-proximal bone levels around short implants in the posterior region; 1-year results from a randomized clinical trial. J Clin Periodontol. 2012 Jul;39(7):688-97. doi: 10.1111/j.1600-051X.2012.01887.x. Epub 2012 Apr 29.

Rodriguez X, Vela X, Calvo-Guirado JL, Nart J, Stappert CF. Effect of Platform Switching on collagen fiber orientation and bone resorption around dental implants: a preliminary histologic animal study. Int J Oral Maxillofacial Implants 2012 Sep; 27(5):1116-22.

Baena RR, Arciola CR, Selan L, Battaglia R, Imbriani M, Rizzo S, Visai L. Evaluation of bacterial adhesion on machined titanium, Osseotite® and Nanotite® discs. Int J Artif Organs. 2012 Nov 20;35(10):754-61. doi: 10.5301/ijao.5000143.

Nevins M, Nevins ML, Schubach P, Fiorellini J, Lin Z, Kim DM. The Impact of Bone Compression on Bone-to-Implant Contact of an Osseointegrated Implant: A Canine Study. Int J Periodontics Restorative Dent. 2012 Dec;32(6):637-45.

Gobbato L, Arguello E, Martin IS, Hawley CE, Griffin TJ. Early bone healing around 2 different experimental, HA grit-blasted, and dual acid-etched titanium implant surfaces. A pilot study in rabbits. Implant Dent. 2012 Dec;21(6):454-60. doi: 10.1097/ID.0b013e3182611cd7.

Cannizzaro G, Leone M, Ferri V, Viola P, Gelpi F, Esposito M. Immediate loading of single implants inserted flapless with medium or high insertion torque: a 6-month follow-up of a split-mouth randomised controlled trial. Eur J Oral Implantol 2012;5(4):333-342.

Davies JE, Ajami E, Moineddin R, Mendes VC. The roles of different scale ranges of surface implant topography on the stability of the bone/implant interface. Biomaterials. 2013 Feb 14. pii: S0142-9612(13)00040-9. doi: 10.1016/j.biomaterials.2013.01.024. [Epub ahead of print].

Deporter D. Short Dental Implants: What Works and What Doesn't? A Literature Interpretation. Int J Periodontics Restorative Dent. 2013 Jul-Aug;33(4):457-64. doi: 10.11607/prd.1304.

Caiazza A, Brugnami F, Mehra P. Buccal plate preservation with immediate post-extraction implant placement and provisionalization: preliminary results of a new technique. Int J Oral Maxillofac Surg. 2013 May;42(5):666-70. doi: 10.1016/j.ijom.2012.11.009. Epub 2012 Dec 7.

Brugnami F, Caiazza A. Immediate placement and provisionalization with buccal plate preservation: a case report of a new technique. J Oral Implantol. 2013 Jun;39(3):380-5. doi: 10.1563/AAID-JOI-D-11-00154. Epub 2011 Dec 30

Cannizzaro G, Felice P, Soardi E, Ferri V, Leone M, Lazzarini M, Audino S, Esposito M. Immediate loading of 2(all-on-2) versus 4 (all-on-4) implants placed with a flapless technique supporting mandibular cross-arch fixed prostheses: 1-year results from a pilot randomised controlled trial. Eur J Oral Implantol. 2013 Summer;6(2):121-31.

Vianna Cde A, Delben JA, Barão VA, Ferreira MB, dos Santos PH, Assunção WG. Torque stability of different abutment screws submitted to mechanical cycling. Int J Oral Maxillofac Implants. 2013 Sep-Oct;28(5):e209-14. doi: 10.11607/jomi.3110.

Al-Jadaa A, Attin T, Peltomäki T, Schmidlin PR. Comparison of three in vitro implant leakage testing methods. Clin Oral Implants Res. 2013 Dec 16. doi: 10.1111/clr.12314. [Epub ahead of print].

Calvo-Guirado JL, Gómez-Moreno G, Delgado-Ruiz RA, Maté Sánchez de Val JE, Negri B, Ramírez Fernández MP. Clinical and radiographic evaluation of osseotite-expanded platform implants related to crestal bone loss: a 10-year study. Clin Oral Implants Res. 2014 Mar;25(3):352-8. doi: 10.1111/clr.12134. Epub 2013 Feb 21.

Amato F, Polara G. A prospective evaluation of a novel implant design for immediate loading. Int J Periodontics Restorative Dent. 2014;34 Suppl 3:s43-9. doi: 10.11607/prd.1842

De Angelis N, Nevins ML, Camelo MC, Ono Y, Campailla M, Benedicenti S. Platform switching versus conventional technique: a randomized controlled clinical trial. Int J Periodontics Restorative Dent. 2014;34 Suppl 3:s75-9. doi: 10.11607/prd.2069.

#### Articoli di recente pubblicazione

Amato F, Polara G, Traini T. Human Histologic Analysis of an Immediately Loaded Single-Tooth Mandibular First Molar Implant. Int J Periodontics Restorative Dent. 2015 Jul-Aug;35(4):499-505. doi: 10.11607/prd.2479.

Amato F. Immediate functional loading of posterior implants placed in partially edentulous patients: a preliminary report on a prospective clinical study. Int J Periodontics Restorative Dent. 2015 Mar-Apr;35(2):239-45. doi: 10.11607/prd.1981.